

# Enhancing The Look Of Your Space




## ABOUT AS

We, the **One touch group** are very proud to announce the birth of our company "**One touch**". We have been diligently working as a tile company, based in Morbi, Gujarat, India. Having an amazing international export channel in countries.

The utmost diligence in our work and a thirst for quality, lead today to the expansion of our visions and goals through this magnificent launch of "One touch" as the name suggests "with Easy grace", thus acknowledging our efforts in the upbringing of the One touch. One touch the growing production hub for the handy tile sizes of 600 x 600 & 600 x 1200mm which is crafted in multiple finishes like high gloss, glossy, carving, rustic, and matt are here to aww the world with its unique designs.





## 600X1200MM

---

We provide a size of dimensions - 600x1200 mm specially curated for you. It is tremendously beautiful and brings a feeling of spaciousness and luxury. The different dimensions are explored through creativity and the respective different requirements of the customer and their households.

The collection in distinctive sizes revolves around artistry and a profound finish. They bring the utmost flamboyant aura and modernity feel. Our company focuses on curating the best for you despite distinctive individualistic needs.

## POLISHED | HIGH GLOSSY | MATT

---

Our collection comprises 3 styles - Polished, High Glossy, and Matt. We strive for bringing profound and explicit variants so that every distinctive individual's taste can be satiated. These styles are designed and engineered with extreme attention to quality and technology which is ensured to be quite advanced and of the finest level.

It is also of great importance that all these variants bring extremely professional and world-class standards to your lifestyle and home decor. They bring a new era of style to the ceramic industry of artistry and creativity along with technological advancement.





# APPLICATION

The pride of your collection comes to giving a touch of grandeur to a space. We have multiple applications for indoor & outdoor spaces. Our exceptional surfaces are widely used to adorn the walls & embellish the floor of your households. Its diverse applications create a mesmerizing outlook with modern aesthetics. Elevating your lifestyle, we opt to do the impossible. Also, Utilizing the state of the art technology and designing, we are here to amaze you with surfaces that are brought forward through artistry and creativity. These high-end surfaces can be applied to spaces to bring extraordinary look to your space.




Commercial Building



Hotel, Restaurant



School, College



Hall & corridor




Residential



Hospital



Airport




Gymnasium



Mall & Super Market



Religious Place



Industry




Spa





# Curating Artistry For *Your Place*








- 


9 MM  
Thickness
- 

Chemical  
Resistant
- 

Impact  
Resistant
- 

Weather  
Pro
- 

Anti-  
bacterial
- 

Easy  
Clean
- 

Stain  
Resistant

ALEXA BLACK


Surface :   High Glossy


Size :       600x1200mm


Random :   4








- 


9 MM  
Thickness
- 

Chemical  
Resistant
- 

Impact  
Resistant
- 

Weather  
Pro
- 

Anti-  
bacterial
- 

Easy  
Clean
- 

Stain  
Resistant

ANTISKY IVORY

Surface : Polished

Size : 600x1200mm

Random : 2







9 MM  
Thickness



Chemical  
Resistant



Impact  
Resistant



Weather  
Pro



Anti-  
bacterial



Easy  
Clean



Stain  
Resistant

ASTER BEIGE

Surface : Polished

Size : 600x1200mm

Random : 4







9 MM  
Thickness



Chemical  
Resistant



Impact  
Resistant



Weather  
Pro



Anti-  
bacterial



Easy  
Clean




Stain  
Resistant


ASTER BIANCO


Surface : Polished  
Size : 600x1200mm  
Random : 4








- 


9 MM  
Thickness
- 

Chemical  
Resistant
- 

Impact  
Resistant
- 

Weather  
Pro
- 

Anti-  
bacterial
- 

Easy  
Clean
- 


Stain  
Resistant

**BELMONT MULTY**

Surface : Polished

Size : 600x1200mm

Random : 4







9 MM  
Thickness



Chemical  
Resistant



Impact  
Resistant



Weather  
Pro



Anti-  
bacterial



Easy  
Clean




Stain  
Resistant

## BETULA CREMA


Surface : Polished


Size : 600x1200mm


Random : 4








- 


9 MM  
Thickness
- 

Chemical  
Resistant
- 

Impact  
Resistant
- 

Weather  
Pro
- 

Anti-  
bacterial
- 

Easy  
Clean
- 

Stain  
Resistant

BETULA GREY


Surface : Polished


Size : 600x1200mm


Random : 4








- 


9 MM  
Thickness
- 

Chemical  
Resistant
- 

Impact  
Resistant
- 

Weather  
Pro
- 

Anti-  
bacterial
- 

Easy  
Clean
- 


Stain  
Resistant

BETULA NATURAL


Surface : Polished


Size : 600x1200mm


Random : 4








- 


9 MM  
Thickness
- 

Chemical  
Resistant
- 

Impact  
Resistant
- 

Weather  
Pro
- 

Anti-  
bacterial
- 

Easy  
Clean
- 

Stain  
Resistant

ELECTRA BLACK

Surface : High Glossy

Size : 600x1200mm

Random : 3







9 MM  
Thickness



Chemical  
Resistant



Impact  
Resistant



Weather  
Pro



Anti-  
bacterial



Easy  
Clean




Stain  
Resistant

## FUSION BROWN

Surface : Polished

Size : 600x1200mm

Random : 4







9 MM  
Thickness



Chemical  
Resistant



Impact  
Resistant



Weather  
Pro



Anti-  
bacterial



Easy  
Clean



Stain  
Resistant

## FUSION CREMA


Surface : Polished


Size : 600x1200mm


Random : 4








- 


9 MM  
Thickness
- 

Chemical  
Resistant
- 

Impact  
Resistant
- 

Weather  
Pro
- 

Anti-  
bacterial
- 

Easy  
Clean
- 


Stain  
Resistant

FUSION NATURAL


Surface : Polished


Size : 600x1200mm


Random : 4








- 


9 MM  
Thickness
- 

Chemical  
Resistant
- 

Impact  
Resistant
- 

Weather  
Pro
- 

Anti-  
bacterial
- 

Easy  
Clean
- 


Stain  
Resistant

**G - 1011**


Surface : Polished


Size : 600x1200mm


Random : 10








- 


9 MM  
Thickness
- 

Chemical  
Resistant
- 

Impact  
Resistant
- 

Weather  
Pro
- 

Anti-  
bacterial
- 

Easy  
Clean
- 


Stain  
Resistant

MEGNUS STATURIO

Surface : Polished

Size : 600x1200mm

Random : 4







9 MM  
Thickness



Chemical  
Resistant



Impact  
Resistant



Weather  
Pro



Anti-  
bacterial



Easy  
Clean



Stain  
Resistant

MONTAGE GREY


Surface : Polished


Size : 600x1200mm


Random : 4








- 


9 MM  
Thickness
- 

Chemical  
Resistant
- 

Impact  
Resistant
- 

Weather  
Pro
- 

Anti-  
bacterial
- 

Easy  
Clean
- 

Stain  
Resistant

MOON ONYX GREY


Surface : Polished


Size : 600x1200mm


Random : 4








- 


9 MM  
Thickness
- 

Chemical  
Resistant
- 

Impact  
Resistant
- 

Weather  
Pro
- 

Anti-  
bacterial
- 

Easy  
Clean
- 


Stain  
Resistant

**OT-1001**

Surface : Polished

Size : 600x1200mm

Random : 6







9 MM  
Thickness



Chemical  
Resistant



Impact  
Resistant



Weather  
Pro



Anti-  
bacterial



Easy  
Clean



Stain  
Resistant

OT-1002


Surface : Polished


Size : 600x1200mm


Random : 6








- 


9 MM  
Thickness
- 

Chemical  
Resistant
- 

Impact  
Resistant
- 

Weather  
Pro
- 

Anti-  
bacterial
- 

Easy  
Clean
- 

Stain  
Resistant

**OT-1003**

Surface : Polished

Size : 600x1200mm

Random : 6







9 MM  
Thickness



Chemical  
Resistant



Impact  
Resistant



Weather  
Pro



Anti-  
bacterial



Easy  
Clean




Stain  
Resistant

OT-1004


Surface : Polished


Size : 600x1200mm


Random : 6








- 


9 MM Thickness
- 

Chemical Resistant
- 

Impact Resistant
- 

Weather Pro
- 

Anti-bacterial
- 

Easy Clean
- 


Stain Resistant

OT-1005


Surface : Polished


Size : 600x1200mm


Random : 6








- 


9 MM  
Thickness
- 

Chemical  
Resistant
- 

Impact  
Resistant
- 

Weather  
Pro
- 

Anti-  
bacterial
- 

Easy  
Clean
- 

Stain  
Resistant

PULPIS GRAY

Surface : Polished

Size : 600x1200mm

Random : 4







9 MM  
Thickness



Chemical  
Resistant



Impact  
Resistant



Weather  
Pro



Anti-  
bacterial



Easy  
Clean



Stain  
Resistant

REGAL STATUARIO

Surface : Polished

Size : 600x1200mm

Random : 4







9 MM  
Thickness



Chemical  
Resistant



Impact  
Resistant



Weather  
Pro



Anti-  
bacterial



Easy  
Clean



Stain  
Resistant

## ROYAL ONYX


Surface : Polished


Size : 600x1200mm


Random : 4








- 


9 MM  
Thickness
- 

Chemical  
Resistant
- 

Impact  
Resistant
- 

Weather  
Pro
- 

Anti-  
bacterial
- 

Easy  
Clean
- 


Stain  
Resistant

SMOKE STATUARIO


Surface : Polished


Size : 600x1200mm


Random : 4








- 


9 MM  
Thickness
- 

Chemical  
Resistant
- 

Impact  
Resistant
- 

Weather  
Pro
- 

Anti-  
bacterial
- 

Easy  
Clean
- 

Stain  
Resistant

SPIDER WHITE

Surface : Polished

Size : 600x1200mm

Random : 3







9 MM  
Thickness



Chemical  
Resistant



Impact  
Resistant



Weather  
Pro



Anti-  
bacterial



Easy  
Clean




Stain  
Resistant


STATUARIO CALCATTA


Surface : Polished  
Size : 600x1200mm  
Random : 4








- 


9 MM  
Thickness
- 

Chemical  
Resistant
- 

Impact  
Resistant
- 

Weather  
Pro
- 

Anti-  
bacterial
- 

Easy  
Clean
- 

Stain  
Resistant

STATUARIO GRIS


Surface : Polished

Size : 600x1200mm


Random : 5






- 


9 MM  
Thickness
- 

Chemical  
Resistant
- 

Impact  
Resistant
- 

Weather  
Pro
- 

Anti-  
bacterial
- 

Easy  
Clean
- 


Stain  
Resistant


TERRAZZO- 1027


Surface : Matt  
Size : 600x1200mm  
Random : 3








- 


9 MM  
Thickness
- 

Chemical  
Resistant
- 

Impact  
Resistant
- 

Weather  
Pro
- 

Anti-  
bacterial
- 

Easy  
Clean
- 


Stain  
Resistant

TERRAZZO-1002


Surface :   Matt


Size :       600x1200mm


Random :   3








- 


9 MM  
Thickness
- 

Chemical  
Resistant
- 

Impact  
Resistant
- 

Weather  
Pro
- 

Anti-  
bacterial
- 

Easy  
Clean
- 

Stain  
Resistant

VERONA BLACK

Surface :   High Glossy  
Size :       600x1200mm  
Random :   4





# Technical Specification



## Dimensions & surface Quality

Characteristic	Group Bla – ISO 13006/EN-176	Group Bia IS :15622:2017	One touch Value	Test According to
Deviation in length and width	± 0.6%	± 0.1%	± 0.1%	ISO 10545:2/IS:13630 (P-1)
Deviation in thickness	± 5%	± 4%	± 4%	ISO 10545:2/IS:13630 (P-1)
Deviation in Staightness of sides	± 0.5%	± 0.4%	± 0.1%	ISO 10545:2/IS:13630 (P-1)
Deviation in Rectangualrity	± 0.6%	± 0.1%	± 0.1%	ISO 10545:2/IS:13630 (P-1)
Deviation in Surface Flatness	± 0.5%	± 0.2%	± 0.2%	ISO 10545:2/IS:13630 (P-1)
Surface Quality & Color (%)	Minimum 95% Declared by manufacture	Minimum 95%	No visible defects	ISO 10545:2/IS:13630 (P-1)
Glossiness with Nano		-	Above 90	ISO 2813 (Glossy meter)



## Physical charactersitics

Characteristic	Group Bla – ISO 13006/EN-176	Group Bia IS :15622:2017	One touch Value	Test According to
Scratch Hardness of surface Moh's scale	Min. 3	Min. 3	Min. 3	EN-101/IS:13630 (P-13)
Water absorption	≤0.05%	Averages 0.08, Individual maximum 0.10%	≤0.05%	ISO 10545:3/IS: 13630 (P-2)
Moisture Expansion	Nil	-	Nil	ISO 10545:10
Surface Abrassion	Required	Required	PEI 2 – 4	ISO 10545:7/IS:13630 (P-12)



## Mechanical charactersitics

Characteristic	Group Bla – ISO 13006/EN-176	Group Bia IS :15622:2017	One touch Value	Test According to
Breaking strength	1300 N	Min 1300 N	≥ 1800 N	ISO 10545:4/IS: 13630 (P-6)
Modulus of rupture	>35 N/mm2	Average 35, Individual minimum 32	≥ 35 N/mm2	ISO 10545:4/IS: 13630 (P-6)



## Safety charactersitics

Characteristic	Group Bla – ISO 13006/EN-176	Group Bia IS :15622:2017	One touch Value	Test According to
Density	2.20 gm/cc	Min 2.20 gm/cc	2.20 gm/cc	DIN 51082/IS: 13630 (P-2)
Skid resistance (Friction coefficient )	≥0.4	-	≥ 0.4	ISO 10545:17



## Thermo photo characteristics

Characteristic	Group Bla – ISO 13006/EN-176	Group Bia IS :15622:2017	One touch Value	Test According to
Thermal shock resistance	Resistant to 10 cycles	Min 10 cycles	Pass min 10 cycles	ISO 10545:9/IS: 13630 (P-5)
Co efficient of thermal expansion	9×10-6K-1Max	6×10-6K-1Max	<6×10-6K-1 Max	ISO 10545:8/IS:13630 (P-4)
Frost resistance	Resistant	Required	Need to comply with the standard	ISO 10545:12/IS: 13630 (P-10)
Color Resistance to UV light	Resistant	-	Resistant	DIN 51094



## Chemical characteristics

Characteristic	Group Bla – ISO 13006/EN-176	Group Bia IS :15622:2017	One touch Value	Test According to
Stain Resistance	Min class-3	Required	Min conform to class-3*	ISO 10545:14
Chemical Resistance HOUSE HOLD CHEMICAL & SWIMMING POOL SALT	min class-UB	Required	Conform to classes-UA*	ISO 10545:13/IS:13630 (P-7)
Chemical Resistance LOW CONCENTRATIONS ACID & ALKALIES	min class-ULB	Required	Conform to classes-ULA*	ISO 10545:13/IS:13630 (P-7)
Chemical Resistance HIGH CONCENTRATIONS ACID & ALKALIES	min class-UHB	Required	Conform to classes-UHA*	ISO 10545:13/IS:13630 (P-7)

## DOMESTIC PACKING DETAILS

Dimensions (mm)	Thickness (mm)	Pieces Per Box	Coverage Area (sqm.) (sqft.)		Box Weight (kg)
600x1200	9	02	1.44	15.50	29.5 (Approx)

## INTERNATIONAL PACKING DETAILS

Pattern 01

Pattern 02

Pattern 03

## NOTE :

- Colours in the catalogue are as accurate as printing process allows. Please check actual tile sample before making the final selection.
- Sizes mentioned in the catalogue are nominal sizes only.
- For better laying. Please follow the instructions on the packaging box.
- Please make sure to check the shade/finish with the sales agent/ dealer making the final purchase because there might be variation in actual finish that shown in the catalogue. The company will not bear any loss in such case.





#### **FACTORY ADDRESS**

Ярославское шоссе дом 42

Москва 129337Россия

[onetouchceramic@mail.ru](mailto:onetouchceramic@mail.ru) | [www.onetouchceramic.ru](http://www.onetouchceramic.ru)

