



FS Clay

Single fired floor tiles



FS Mud White



FS Blossom



FS Clay

Single fired floor tiles

FS Checker Silver



FS Seal



FS Clay

Single fired floor tiles


FS Checker Sand

FS Clay

Single fired floor tiles



FS CLAY



45 * 45 * 1,05 cm | 18 * 18"

| NO RECTIFIED | NATURAL |
|-------------------|---------|
| | BN14 |
| FS BLOSSOM | 30065 |
| FS SEAL | 30066 |
| FS CHECKER SAND | 30067 |
| FS CHECKER SILVER | 30068 |

CARACTERÍSTICAS TÉCNICAS | TECHNICAL CHARACTERISTICS

| | | | | | |
|-------|-----------|------|------------------|-----------------|------------------|
| joint | versatile | matt | different shades | shade variation | various graphics |
| | | | | | |

CARACTERÍSTICAS TÉCNICAS ANTIDESLIZAMIENTO | ANTI-SLIP CHARACTERISTICS

| Ensayo Essay | Características Features | Resultado Result |
|----------------|--|--------------------|
| DIN 51130 | Ángulo crítico (Pies calzados) Critical angle (footwear) | R9 |
| BS 7976-2 | Antideslizamiento (Test del péndulo) Slip resistance (Pendulum test-PTV) | +36 Wet |
| UNE-ENV 12633 | Antideslizamiento (Test del péndulo) Slip resistance (Pendulum test) | Class 1 |
| ANSI A.1371 | Coefficiente de Fricción Dinámico Dynamic Coefficient of Friction (DCOF) | >0,42 |
| ISO 10545-7 | Resistencia a la Abrasión Superficial/ Resistance to Surface Abrasion | PEI 4 |

EMBALAJE | PACKING

(Los pesos aquí reflejados pueden sufrir ligeras variaciones en función del lote de producción. Weights shown here may slightly vary depending on the production lot.)

| Formato Sizes | Cajas Boxes | | | Pallet | | | Tamaño cm aprox. | Cont./20' 21500 kg. | Cont./20' 24000 kg. |
|----------------------------|---------------|-----------------------|--------|--------|-----------------------|---------|---------------------------|---------------------|---------------------|
| | Piezas | m ² / sq.m | kg | Cajas | m ² / sq.m | kg | | | |
| cm | | | | | | | | | |
| 45 * 45 * 1,05 | 5 | 1 | 23,139 | 66 | 66 | 1551 | 120 * 80 * 105 | 914,89 | 1021,28 |
| inch | | | | | | | | | |
| 17 11/16 * 17 11/16 * 7/16 | 5 | 10,76 | 51,02 | 66 | 710,42 | 3419,96 | 47 1/4 * 31 1/2 * 41 5/16 | 9847,91 | 10993,02 |