



WITH



GLASS BLOCKS



WITH



GLASS BLOCKS

GLASS BLOCKS

TWO MATERIALS MERGING INTO ONE. TWO GALAXIES COMING TOGETHER. SEMITRANSAPRENCY. LIGHT WITHOUT IMAGE, ILLUMINATING WITHOUT EXPOSING. GEOMETRIC PERFECTION. SQUARES ON SQUARES, ROWS AND COLUMNS. SERIOUSNESS, EFFORT, AMBITION. RESILIENCE OF SCRATCHED, USED SURFACES THAT SURVIVED EVERYTHING BUT STILL SEE THE DREAM LIKE THE FIRST DAY.

Due parole in una, due materie che si fondono. Due galassie che s'incontrano. Semitrasparenza. Luce senza immagine, che illumina senza mettere a nudo. Perfezione geometrica. Quadrati su quadrati, righe e colonne. Serietà, impegno, ambizione. Resilienza di superfici scalfite, usate, sopravvissute a tutto. Ma che ancora vedono il sogno come il primo giorno.

Deux mots en un, deux matières qui se fondent. Deux galaxies qui se rencontrent. La Semi-transparence. Une lumière sans image, qui éclaire sans mettre à nu. La perfection géométrique. Des carrés sur des carrés, des lignes, des colonnes. Sérieux, l'engagement, l'ambition. La résistance de surfaces rayées, abîmées, qui ont survécu à tout. Mais qui rêvent encore comme au premier jour.

Zwei Worte in einem, zwei Materien, die sich verbinden. Zwei Galaxien, die sich treffen. Semitransparent. Licht ohne Bild, das strahlt, ohne Nacktheit zu verleihen. Geometrische Perfektion. Quadrate auf Quadraten, Streifen und Säulen. Aufrichtigkeit, Einsatz, Ambition. Kraft abgerockter Oberflächen, die alles überstanden haben. Die jedoch den Traum noch wie am ersten Tag sehen.

Dos palabras en una, dos materiales que se fusionan. Dos galaxias que se encuentran. Semitransparencia. Luz sin imagen, que ilumina sin desnudar. Perfección geométrica. Cuadrados sobre cuadrados, rayas y columnas. Seriedad, compromiso, ambición. Resiliencia de superficies rayadas, usadas, que han sobrevivido a todo. Pero que todavía ven el sueño como el primer día.

Два слова в одном, две сливающиеся воедино материи. Встреча двух галактик. Полупрозрачность. Свет без образов, который подсвечивает, не снимая покровов. Геометрическое совершенство. Квадраты на квадратах, строки и столбцы. Серьезность, самоотдача, амбиции. Прочность потертых и видавших виды поверхностей, выстоявших несмотря ни на что. И продолжающих видеть сны, как в первый день творения.

玻璃和砖，两个词合二为一，两种物料互相融合。两个星系的相遇。半透明。闪烁而无图像，无需剥离即可发亮。几何完美。一个个正方形叠加，形成横纵线条。认真、承诺、志向。划伤、老旧、残存表面的韧性。但依然如第一天般看待梦想。

INDEX

4

GLASS GREEN
hotel

8

GLASS AZURE
restaurant

12

GLASS GREEN
GLASS DUSTY WHITE
bathroom

16

GLASS AZURE
GLASS DUSTY BLACK
hall


20

GLASS BLOCKS
products

**GLASS
BLOCKS**

wall GLASS GREEN 20X20_8"x8"
floor CEMENT MEXICAN SLIGHT BLACK 120X60_48"x24"

**NOT FRAGILE
AT ALL.**



GLASS BLOCKS


right wall GLASS GREEN 20X20_8"x8"
left wall CEMENT MEXICAN RUGGED GREY 120X60_48"x24"
floor CEMENT MEXICAN SLIGHT BLACK 120X60_48"x24"





GLASS BLOCKS

wall GLASS AZURE 20X20_8"x8"
floor CEMENT MEXICAN SLIGHT GREY 60X60_24"x24"





wall GLASS AZURE 20X20_8"x8"
floor CEMENT MEXICAN SLIGHT GREY 60X60_24"x24"



**GLASS
BLOCKS**



**GLASS
BLOCKS**

wall GLASS GREEN 20X20_8"x8"
floor CEMENT MEXICAN SLIGHT BLUE 120X60_48"x24"



right wall GLASS GREEN 20X20_8"x8"
left wall GLASS DUSTY WHITE 20X20_8"x8"
floor CEMENT MEXICAN SLIGHT BLUE 120X60_48"x24"





GLASS BLOCKS


wall GLASS AZURE 20X20_8" X 8"
wall GLASS DUSTY BLACK 20X20_8" X 8"






**GLASS
BLOCKS**









GLASS BLOCKS DUSTY WHITE






GLASS BLOCKS



RIVESTIMENTI / WALL TILES / REVÊTEMENTS / WANDFLIESEN
REVESTIMIENTOS / ПЛИТКА ДЛЯ СТЕН / 牆面瓷磚

NAME	CODE	cm.	inches	
GLASS GREEN	563544 	20x20	8"x8"	
GLASS AZURE	563545 	20x20	8"x8"	
GLASS DUSTY WHITE	563546 	20x20	8"x8"	
GLASS DUSTY BLACK	563547 	20x20	8"x8"	



PACKING

SIZE	THICKNESS	KG/MQ	BOX		EUROPALLET	
			 mq	box	mq	
20x20 . 8"x8"	7,5 mm . 0,30"	16	32	1,2	75	96,00



TECHNICAL CHARACTERISTICS

RIVESTIMENTI / WALL TILES / REVÊTEMENTS / WANDFLIESEN / REVESTIMIENTOS / ПЛИТКА ДЛЯ СТЕН . 牆面瓷磚










SEMIGRES

CLASSIFICAZIONE SECONDO NORME EN 14411 - ALLEGATO L - GRUPPO B III / CLASSIFICATION IN ACCORDANCE WITH EN 14411 - ANNEX L - GROUP B III

CLASSIFICATION SELON LES NORMES EN 14411 - ANNEXE L - GROUPE B III / KLASSIFIZIERUNG GEMÄSS NORMEN EN 14411 - ANLAGE L - GRUPPE B III

CLASIFICACIÓN SEGÚN NORMAS EN 14411 - ADJUNTO L - GRUPO B III / КЛАССИФИКАЦИЯ В СООТВЕТСТВИИ С СТАНДАРТАМИ EN 14411 - ВЛОЖЕННЫХ Л - ГРУППЕ В III

類別遵照 EN 14411 附錄L B III組

	PROPRIETÀ FISICO-CHIMICHE PHYSICAL-CHEMICAL PROPERTIES PROPRIÉTÉS PHYSICO-CHIMIQUES PHYSIKALISCH-CHEMISCHE EIGENSCHAFTEN-PROPIEDADES FÍSICO-QUÍMICAS-SVOYSTVA ХИМИЧЕСКИМИ - ФИЗИЧЕСКИМИ 物理-化學性能	TIPO DI PROVA STANDARD OF TEST NORME DU TEST TESTNORM TIPO DE PRUEBAS ВИД КОНТРОЛЯ 測試標準	VALORE PRESCRITTO REQUIRED VALUE VALEUR PRESCRITE VORGESCHRIEBENER WERT VALOR PRESCRITO РЕКОМЕНДУЕМАЯ СТОИМОСТЬ 要求值	VALORE MEDIO AVERAGE VALUE VALEUR MOYENNE MITTELWERT VALOR MEDIO СРЕДНИЕ ЗНАЧЕНИЯ 均值
	Dimensioni Sizes Dimensions Abmessungen Dimensiones Форматы 尺寸	ISO 10545.2	Lunghezza e larghezza / Length and width / Longueur et largeur Länge und breite / Largura y anchura / Длина и ширина 長度和寬度 Spessore / Thickness / Epaisseur / Stärke / Espesor / Толщина 厚度 Rettilineità spigoli / Warpage of edges / Rectitude des arêtes Kantengeradheit / Rectilineidad cantos / Прямолинейность сторон 線性度 Ortogonalità / Wedging / Orthogonalité Rechtwinkligkeit / Ortogonalidad / Ортогональности 楔固固 Planarità / Warpage / Planéité Ebenflächigkeit / Planitud / Плоскостности / 翹曲	± 0,5% ± 0,5% ± 10% ± 5% ± 0,3% ± 0,3% ± 0,5% ± 0,4% ± 0,5% ± 0,3%
	Assorbimento d'acqua Water absorption Absorption d'eau Wasseraufnahme Absorción de agua Водопоглощение 吸水性	ISO 10545.3	E > 10%	~ 16%
	Resistenza alla flessione Bending strength Résistance à la flexion Biegefestigkeit Resistencia a la flexión Прочность на изгиб 抗彎曲性	ISO 10545.4	Modulo di rottura Moduls of rupture Module de rupture Bruchmodul Módulo de rotura Прочность на изгиб 斷裂模組	22 N/mm ² R ≥ 15 N/mm ²
	Resistenza all'abrasione Resistance to abrasion Résistance à l'abrasion Abriebhärte Resistencia a la abrasión Износостойчивость 抗磨損性	ISO 10545.7	Secondo i dati del produttore According to the manufacturer's data Selon les données du producteur Gemäß der Angaben des Herstellers De acuerdo con los datos del fabricante В соответствии с данными изготовителя 根据制造商信息	Indicata sul catalogo Indicated in the catalog Indiquée dans le catalogue Im katalog angegeben Indicada en el catálogo Указана в каталоге 在目錄中的指示
	Coefficiente di dilatazione termica lineare Coefficient of linear thermal expansion Coefficient de dilatation thermique lineaire Wärmeausdehnungskoeffizient Coeficiente de dilatación térmica lineal Коэффициент теплового расширения 線性熱膨脹係數	ISO 10545.8	Metodo disponibile Test method available Méthode disponible Verfügbares verfahren Método disponible Доступный метод 可以使用的測試方法	8x10 ⁻⁶ °C ⁻¹
	Resistenza agli sbalzi termici Resistance to thermal shock Résistance aux variations thermiques Temperaturwechselbeständigkeit Resistencia a los cambios de temperatura Устойчивость к резким перепадам температур 抗熱衝擊性	ISO 10545.9	Metodo disponibile Test method available Méthode disponible Verfügbares verfahren Método disponible Доступный метод 可以使用的測試方法	Garantita Guaranteed Garantie Garantiert Garantizada Гарантия 保證
	Resistenza al cavillo Crazing resistance Résistance au tressailage Haarrißbeständigkeit Resistencia al agrietado Стойкость к образованию трещин 抗裂性	ISO 10545.11	Metodo disponibile Test method available Méthode disponible Verfügbares verfahren Método disponible Доступный метод 可以使用的測試方法	Garantita Guaranteed Garantie Garantiert Garantizada Гарантия 保證
	Resistenza ai prodotti chimici Chemical resistance Résistance aux produits chimiques Chemikalienfestigkeit Resistencia a los productos químicos Химическая устойчивость 耐化學性	ISO 10545.13	GB min.	Conforme In conformity Conforme Erfüllt die Anforderungen Conforme Соответствует 达标
	Resistenza alle macchie Stain resistance Résistance aux taches Fleckenbeständigkeit Resistencia a las manchas Устойчивость к пятнообразованию 耐沾污性	ISO 10545.14	CLASSE 3 min.	Conforme In conformity Conforme Erfüllt die Anforderungen Conforme Соответствует 达标

SAFE SYSTEM

Grado di variazione cromatica

Degree of colour change . Grad der farbabweichung . Degre de variation chromatique . Grado de variación cromática . СТЕПЕНЬ ИЗМЕНЕНИЯ ЦВЕТА . 变色度

COLLEZIONE
COLLECTION
KOLLEKTION
COLLECTIÖN
COLECCIÓN
КОЛЛЕКЦИЯ
系列

GLASS BLOCK

WALL

V3



V1 - LOW .

Prodotto monocromatico . Monochromatic product
Produit monochromatique . Einfarbiges produkt
Producto monocrómico . ОДНОЦВЕТНЫЙ ПРОДУКТ
单色产品



V2 - MODERATE .

Prodotto con leggera variazione cromatica . Product with light chromatic variation
Produit à légère variation chromatique . Produkt mit leichter farbnuance
Producto con una ligera variación cromática
ПРОДУКТ С ЛЕГКИМИ ИЗМЕНЕНИЯМИ ОТТЕНКОВ . 轻微变色的产品



V3 - HIGH .

Prodotto con marcata variazione cromatica . Product with high shade chromatic variation
Produit à variation chromatique accentuée . Produkt mit ausgeprägter farbnuance
Producto con una marcada variación cromática . ПРОДУКТ С ВЫРАЖЕННЫМИ ИЗМЕНЕНИЯМИ ЦВЕТА
高度变色的产品



V4 - EXTREME .

Prodotto con forte variazione cromatica . Product with very high shade chromatic variation
Produit à forte variation chromatique . Produkt mit starker farbnuance
Producto con una fuerte variación cromática
ПРОДУКТ С СИЛЬНЫМИ ИЗМЕНЕНИЯМИ ЦВЕТА . 高度变色的产品

Marketing IRIS CERAMICA

Art Direction / Concept
Graphic Design / Copy
ARCHÈ AGENCY


3D Image / Post Production
ARCHÈ AGENCY

Colour Separation
SELECOLOR FIRENZE

Print
Tecnostampa - Pignini Group Printing Division
Loreto - Trevi

January 2020

SEARCH "Iris Ceramica" ON YOUR APP STORE



FOLLOW "Iris Ceramica" SOCIAL NETWORKS





wall



floor



collection



IRIS CERAMICA

Via Ghiarola Nuova, 119
Zona Industriale I
41042 Fiorano Modenese (MO) - Italy

T. +39 0536 86 21 11
Fax +39 0536 80 46 02
info@irisceramica.com

irisceramica.com
diesel.com/living