

HUB

DESIGN CORE



MIRAGE[®]
Porcelain.Design.Sustainability

HUB

ESSENTIAL

MOOD ESSENZIALE, DALLA SPICCATA LINEARITÀ.

NO-FRILLS, LINEAR MOOD.

ELEMENTARE MOOD MIT AUSGEPRÄGTER LINEARITÄT.

AMBIANCE ESSENTIELLE, À LA LINÉARITÉ PRONONCÉE.

MOOD ESENCIAL CON LINEALIDAD MARCADA.

风格简约，线性凸显。



BEDROOM
P 4



STORE
P 6

CONTEMPORARY ROUGH

MOOD CONTEMPORANEO CON ACCENTI RUSTICI.

CONTEMPORARY MOOD WITH A COUNTRY ACCENT.

ZEITGEMÄSSE MOOD MIT RUSTIKALEN AKZENTEN.

AMBIANCE CONTEMPORAINE AVEC DES ACCENTS RUSTIQUES.

MOOD CONTEMPORÁNEO CON TOQUES RÚSTICOS.

风格时尚，仿古气息。



BATHROOM
P 24

ELEGANT

MOOD ELEGANTE E SOBRIO.

ELEGANT, RIGOROUS MOOD.

ELEGANTE, DEZENTE MOOD.

AMBIANCE ÉLÉGANTE ET SOBRE.

MOOD ELEGANTE Y SOBRIO.

风格优雅而简约。




LIVING ROOM
P 28




BATHROOM
P 30

SIZES



THICKNESSES



FINISHES

NATURALE / NATURAL
BOCCIARDATA

WARM COLOURS

UB09 COMPACT UB08 CLASS UB07 TRAVEL UB10 BRIGHT

COLD COLOURS

UB01 FOAM UB02 PAGE UB03 STORE UB04 CONCEPT UB05 URBAN UB06 VOLUME



PAGE UB 02

BENCH
FOAM UB 01 NAT SQ 600X600 / 24"X24"
FLOOR
PAGE UB02 NAT SQ 300x600 / 12"x24"



STORE UB 03

FLOOR

STORE UB 03 NAT SQ 600X1200 / 24"X48"

WALL

BRIGHT UB 10 NAT SQ 600X1200 / 24"X48"

BENCH

JURUPA MASTER JP 03 NAT SQ 20X1200 / 8"X48"



COMPACT UB 09

FLOOR

COMPACT UB 09 NAT SQ 600X600 / 24"X24"

WALL

FOAM UB 01 NAT SQ 150X600 / 6"X24"

TABLE

JEWELS, GIOIA WHITE JW 13 LUC



TRAVEL UB 07

FLOOR

TRAVEL UB 07 NAT SQ 600X600 / 24"X24"

WALL

COMPACT UB 09 NAT SQ 150X600 / 6"X24"

VANITY TOP

JURUPA WILD JP 04 NAT SQ 20X120 / 8"X48"



VOLUME UB 06

FLOOR

VOLUME UB 06 NAT SQ

600X600 / 24"X24"

WALL

BRIGHT UB 10 NAT SQ

150X600 / 6"X24"

300X600 / 12"X24"

OUTDOOR WALL

STORE UB 03 NAT SQ

150X600 / 6"X24"



HUB

UB01 FOAM

PAGE
14


9 mm
600x1200 / 24"x48"
NAT SQ

600x600 / 24"x24"
NAT SQ
BC SQ

300x600 / 12"x24"
NAT SQ

150x600 / 6"x24"
NAT SQ

300x300 / 12"x12"
NAT NO SQ

 Tutti i formati in 9 mm NAT sono realizzati con la tecnologia PERFORMA.
All 9 mm NAT sizes are produced with PERFORMA technology.

11 mm
300x300 / 12"x12"
NAT NO SQ

Stucchi consigliati
Recommended grouts

KERAKOLL	02 Grigio Luce	
MAPEI	111 Grigio Argento	
LATICRETE	88 Silver Shadow	



HUB

UB02 PAGE

PAGE
15


9 mm
600x1200 / 24"x48"
NAT SQ

600x600 / 24"x24"
NAT SQ
BC SQ

300x600 / 12"x24"
NAT SQ




150x600 / 6"x24"
NAT SQ

300x300 / 12"x12"
NAT NO SQ

 Tutti i formati in 9 mm NAT sono realizzati con la tecnologia PERFORMA.
All 9 mm NAT sizes are produced with PERFORMA technology.

11 mm
300x300 / 12"x12"
NAT NO SQ

Stucchi consigliati
Recommended grouts

KERAKOLL	04 Grigio Ferro	
MAPEI	282 Grigio Bardiglio	
LATICRETE	78 Sterling Silver	



HUB

UB03 STORE

9 mm


600x1200 / 24"x48"
NAT SQ

600x600 / 24"x24"
NAT SQ
BC SQ

300x600 / 12"x24"
NAT SQ

150x600 / 6"x24"
NAT SQ

300x300 / 12"x12"
NAT NO SQ

 Tutti i formati in 9 mm NAT sono realizzati con la tecnologia PERFORMA.
All 9 mm NAT sizes are produced with PERFORMA technology.

11 mm

300x300 / 12"x12"
NAT NO SQ

Stucchi consigliati

Recommended grouts

KERAKOLL	04 Grigio Ferro	
MAPEI	282 Grigio Bardiglio	
LATICRETE	78 Sterling Silver	



HUB

UB04 CONCEPT


9 mm

600x1200 / 24"x48"
NAT SQ

600x600 / 24"x24"
NAT SQ
BC SQ




300x600 / 12"x24"
NAT SQ

150x600 / 6"x24"
NAT SQ

 Tutti i formati in 9 mm NAT sono realizzati con la tecnologia PERFORMA.
All 9 mm NAT sizes are produced with PERFORMA technology.

Stucchi consigliati

Recommended grouts

KERAKOLL	05 Antracite	
MAPEI	728 Grigio Scuro	
LATICRETE	78 Sterling Silver	



HUB

UB05 URBAN

9 mm


600x1200 / 24"x48"
NAT SQ

600x600 / 24"x24"
NAT SQ
BC SQ

300x600 / 12"x24"
NAT SQ

150x600 / 6"x24"
NAT SQ

300x300 / 12"x12"
NAT NO SQ

 Tutti i formati in 9 mm NAT sono realizzati con la tecnologia PERFORMA.
All 9 mm NAT sizes are produced with PERFORMA technology.


11 mm

300x300 / 12"x12"
NAT NO SQ

Stucchi consigliati

Recommended grouts

KERAKOLL	05 Antracite	
MAPEI	119 Grigio Londra	
LATICRETE	42 Platinum	



HUB

UB06 VOLUME


9 mm

600x1200 / 24"x48"
NAT SQ

600x600 / 24"x24"
NAT SQ
BC SQ




300x600 / 12"x24"
NAT SQ


150x600 / 6"x24"
NAT SQ

 Tutti i formati in 9 mm NAT sono realizzati con la tecnologia PERFORMA.
All 9 mm NAT sizes are produced with PERFORMA technology.

Stucchi consigliati

Recommended grouts

KERAKOLL	44 Cemento	
MAPEI	112 Grigio Medio	
LATICRETE	89 Smoke Grey	



HUB

UB07 TRAVEL


9 mm
600x1200 / 24"x48"
NAT SQ

600x600 / 24"x24"
NAT SQ
BC SQ

300x600 / 12"x24"
NAT SQ

150x600 / 6"x24"
NAT SQ



300x300 / 12"x12"
NAT NO SQ

 **Tutti i formati in 9 mm NAT sono realizzati con la tecnologia PERFORMA.**
All 9 mm NAT sizes are produced with PERFORMA technology.

11 mm
300x300 / 12"x12"
NAT NO SQ

Stucchi consigliati

Recommended grouts

KERAKOLL	44 Cemento	
MAPEI	112 Grigio Medio	
LATICRETE	89 Smoke Grey	



HUB


UB08 CLASS

9 mm
600x1200 / 24"x48"
NAT SQ

600x600 / 24"x24"
NAT SQ
BC SQ




300x600 / 12"x24"
NAT SQ

150x600 / 6"x24"
NAT SQ

 **Tutti i formati in 9 mm NAT sono realizzati con la tecnologia PERFORMA.**
All 9 mm NAT sizes are produced with PERFORMA technology.

Stucchi consigliati

Recommended grouts

KERAKOLL	04 Grigio Ferro	
MAPEI	113 Grigio Cemento	
LATICRETE	78 Sterling Silver	



HUB

UB09 COMPACT

PAGE
22


9 mm

600x1200 / 24"x48"
NAT SQ

600x600 / 24"x24"
NAT SQ
BC SQ




300x600 / 12"x24"
NAT SQ

150x600 / 6"x24"
NAT SQ

 Tutti i formati in 9 mm NAT sono realizzati con la tecnologia PERFORMA.
All 9 mm NAT sizes are produced with PERFORMA technology.

Stucchi consigliati

Recommended grouts

KERAKOLL	48 Mocha	
MAPEI	114 Antracite	
LATICRETE	35 Mocha	

Shade variation



Slight variation



HUB

UB10 BRIGHT

PAGE
23

9 mm


600x1200 / 24"x48"
NAT SQ

600x600 / 24"x24"
NAT SQ
BC SQ

300x600 / 12"x24"
NAT SQ

150x600 / 6"x24"
NAT SQ

300x300 / 12"x12"
NAT NO SQ

 Tutti i formati in 9 mm NAT sono realizzati con la tecnologia PERFORMA.
All 9 mm NAT sizes are produced with PERFORMA technology.

Stucchi consigliati

Recommended grouts

KERAKOLL	02 Grigio Luce	
MAPEI	111 Grigio Argento	
LATICRETE	88 Silver Shadow	

Shade variation



Slight variation





STORE UB 03 NAT NO SQ 300X300X1,1

TECHNOHUB

300X300X1,1 NAT NO SQ
DISPONIBILE PER / AVAILABLE FOR
UB 01 / UB 02 / UB 03 / UB 05 / UB 07

Una soluzione per applicazioni tecniche ed industriali che necessitano performance ancora più elevate in termini di carico di rottura.

A solution for technical and industrial applications that require higher performance in terms of breaking load.

Eine Lösung für die technischen und industriellen Anwendungen, die noch höhere Leistungen in Sachen Bruchlast erfordern.

Une solution pour applications techniques et industrielles qui requièrent des performances encore plus élevées en matière de charge de rupture.

Una solución para aplicaciones técnicas e industriales que requieren prestaciones más elevadas en términos de carga de rotura.

RIASSUNTIVO FORMATI E IMBALLI



SUMMARY OF SIZES AND PACKAGING
ÜBERSICHT ÜBER FORMATE UND VERPACKUNGEN
RÉCAPITULATIF FORMATS ET EMBALLAGES
SINÓPTICO DE FORMATOS Y EMBALAJES

		300x300 12"x12"	300x300 12"x12"	150x600 6"x24"	300x600 12"x24"	600x600 24"x24"	600x1200 24"x48"	
		FORMATI - SIZES						
Spessore - Thickness		≅ 9 mm	≅ 11 mm	≅ 9 mm	≅ 9 mm	≅ 9 mm	≅ 9 mm	
Superficie - Surface		NAT NO SQ	NAT NO SQ	NAT	NAT	NAT	BCSQ	NAT SQ
	FOAM UB 01	UJ02	UJ11	UG17	UG06	APF1	UK49	APE1
	PAGE UB 02	UJ03	UJ12	UG18	UG07	APF2	UK50	APE2
	STORE UB 03	UJ04	UJ13	UG19	UG08	APF3	UK51	APE3
	CONCEPT UB 04	—	—	UG20	UG09	APF4	UK52	APE4
	URBAN UB 05	UJ06	UJ14	UG21	UG10	APF5	UK53	APE5
	VOLUME UB 06	—	—	UG22	UG11	APF6	UK54	APE6
	TRAVEL UB 07	UJ08	UJ15	UG23	UG12	APF7	UK55	APE7
	CLASS UB 08	—	—	UG24	UG13	APF8	UK56	APE8
	COMPACT UB 09	—	—	UG25	UG14	APF9	UK57	APE9
	BRIGHT UB 10	UN07	—	UK44	UK46	APG0	UK58	APF0

Peso lordo per scatola Gross weight per box Bruttogewicht pro Karton Poids brut par boîte Peso bruto por caja Вес брутто коробки	19,73	19,58	26,92	26,18	21,50	32,29
Pezzi per scatola Pieces for box Stück pro Karton Pièces pour boîte Piezas por caja Штук в коробке	12	10	14	7	3	2
mq. scatola mq. box mq. Karton mq. boîte mq. caja кв.м в коробке	1,08	0,9	1,26	1,26	1,08	1,44
Scatole / full pallet Boxes / full pallet Stück / volle Palette Pièces / palette complete Cajas / pallet completo Коробок в паллете	48	48	40	40	40	35
mq./pallet	51,84	43,20	50,40	50,40	43,20	50,40

Decoro su rete - Mesh-backed decoration - Dekor auf Netz - Décor sur filet - Decoración en red - Декор в сети

Finitura a becco di civetta - One-round edge shaping - Ausführung mit Eckabrundung - Façonnage à bord rond - Acabado canto romo - Плитка с завалом



RIASSUNTIVO FORMATI E IMBALLI

SUMMARY OF SIZES AND PACKAGING
ÜBERSICHT ÜBER FORMATE UND VERPACKUNGEN
RÉCAPITULATIF FORMATS ET EMBALLAGES
SINÓPTICO DE FORMATOS Y EMBALAJES


	Mosaico 36T* 300x300 12"x12"	Knit 300x300 12"x12"	Layer 300x600 12"x24"	Battiscopa** 72x600 2 7/8"x24"	Gradino A** 300x600 12"x24"	Gradino A** 300x1200 12"x48"	Gradino G** 300x600 12"x24"	Gradino B 330x600 13 1/8"x24"	Gradino B 330x1200 13 1/8"x48"	Gradino B Ang. 330x330 13 1/8"x13 1/8"
	DECORI - DECORS			PEZZI SPECIALI - SPECIAL PIECES						
Spessore - Thickness										
Superficie - Surface	NAT	NAT	NAT	NAT	NAT	NAT	NAT	NAT	NAT	NAT
FOAM UB 01	UG80	UG89	UH13	UJ57	A	A	A	A	A	A
PAGE UB 02	UG81	UG90	UH14	UJ58	A	A	A	A	A	A
STORE UB 03	UG82	UG91	UH15	UJ60	A	A	A	A	A	A
CONCEPT UB 04	UG83	UG92	UH16	UJ61	A	A	A	A	A	A
URBAN UB 05	UG84	UG93	UH17	UJ62	A	A	A	A	A	A
VOLUME UB 06	UG85	UG94	UH18	UJ63	A	A	A	A	A	A
TRAVEL UB 07	UG86	UG95	UH19	UJ64	A	A	A	A	A	A
CLASS UB 08	UG87	UG96	UH20	UJ65	A	A	A	A	A	A
COMPACT UB 09	UG88	A	UH21	UJ66	A	A	A	A	A	A
BRIGHT UB 10	A	A	A	A	A	A	A	A	A	A

Peso lordo per scatola Gross weight per box Bruttogewicht pro Karton Poids brut par boîte Peso bruto por caja Вес брутто коробки	-	-	-	-	-	-	-	-	-	-
Pezzi per scatola Pieces for box Stück pro Karton Pièces pour boîte Piezas por caja Ущыя в коробке	6	6	4	10	7	2	7	4	2	4
mq. scatola mq. box mq. Karton mq. boîte mq. caja кв.м. в коробке	-	-	-	-	-	-	-	-	-	-
Scatole / full pallet Boxes / full pallet Stück / volle Palette Pièces / palette complète Cajas / pallet completo Коробок в паллете	-	-	-	-	-	-	-	-	-	-
mq./pallet	-	-	-	-	-	-	-	-	-	-

* **Decoro su rete** - Mesh-backed decoration - Dekor auf Netz - Décor sur filet - Decoración en red - Декор в сети

** **Finitura a becco di civetta** - One-round edge shaping - Ausführung mit Eckabrundung - Façonnage à bord rond - Acabado canto romo - Плитка с завалом

*** **Differenti effetti miscelati random all'interno delle scatole** - Several effects mixed randomly inside the boxes



PERFORMA TECHNOLOGY

Mirage PERFORMA è la tecnologia in grado di unire alle prestazioni più elevate il massimo grado di ricerca estetica.

Le lastre Mirage PERFORMA si caratterizzano infatti per un effetto particolarmente morbido al tatto, garantendo un elevato coefficiente di scivolosità.

Mirage PERFORMA is a technology able to combine top performance with the very best in style research.

The hallmark of Mirage PERFORMA slabs is their particularly soft, smooth feel, with high slip resistance ratings.

ADVANTAGES/VANTAGGI



La superficie delle collezioni PERFORMA è particolarmente morbida e vellutata al tatto.

The surface of the PERFORMA collections are particularly soft and smooth to the touch.



PERFORMA garantisce un'elevata resistenza allo scivolamento, con coefficiente di scivolosità R10 A+B.

Performa guarantees excellent slip resistance, with a R10 A+B rating.



Nessuna rinuncia nell'estetica, che rimane ricca e dettagliata.

And the style remains richly detailed.

Per saperne di più | More information

















www.mirage.it

CARATTERISTICHE TECNICHE

Technical specifications | Technische Eigenschaften | Caractéristiques techniques

Características técnicas | Технические характеристики | 技术特征

STANDARD EN 14411 - G

	CARATTERISTICHE TECNICHE TECHNICAL DATA TECHNISCHE DATEN CARACTERISTIQUES TECHNIQUES CARACTERÍSTICAS TÉCNICAS ТЕХНИЧЕСКИЕ ХАРАКТЕРИСТИКИ 技术特征	NORMA STANDARD NORM NORME NORMA ЗНАЧЕНИЯ 标准	VALORI PRESCRITTI DALLE NORME EN 14411 - G INTERNATIONAL STANDARDS EN 14411 - G INTERNATIONALE NORMWERTE EN 14411 - G VALEURS PREVUES PAR LES NORMES EN 14411 - G VALORES PREVISTOS POR LAS NORMAS EN 14411 - G ПРЕДУСМОТРЕННЫЕ СТАНДАРТОМ EN 14411-G EN 14411 - G标准规定值	*VALORE MEDIO MIRAGE MIRAGE AVERAGE VALUE MIRAGE MITTELWERT VALEURS MOYEN MIRAGE VALOR MEDIO MIRAGE СРЕДНЕЕ ЗНАЧЕНИЕ MIRAGE MIRAGE平均值
	CARATTERISTICHE DIMENSIONALI - SIZE CHARACTERISTICS - MASSEIGENSCHAFTEN DETERMINATION DES CARACTERISTIQUES DIMENSIONNELLES - CARACTERÍSTICAS DIMENSIONALES - РАЗМЕРНЫЕ ХАРАКТЕРИСТИКИ - 尺寸特征			
	LATI SIDES - SEITEN COTES - CANTOS РАЗМЕРЫ СТОРОН - 側边	EN ISO 10545-2	± 0,3% MAX (± 1,0 mm MAX)	CONFORME COMPLYING
	SPESSORE THICKNESS - DICKE ÉPAISSEUR - ESPESOR ТОЛЩИНА - 厚度	EN ISO 10545-2	± 5,0% MAX (± 0,5 mm MAX)	CONFORME COMPLYING
	RETTILINEITÀ DEGLI SPIGOLI STRAIGHTNESS OF SIDES - GERADLINIGKEIT DER KANTEN RECTITUDE DES ARETES - RECTIDUD DE LOS CANTOS КОСОУГОЛЬНОСТЬ - 边角平直度	EN ISO 10545-2	± 0,3% MAX (± 0,8 mm MAX)	CONFORME COMPLYING
	ORTOGONALITÀ RECTANGULARITY - RECHTWINKLIGKEIT PERPENDICULARITÉ - ORTOGONALIDAD КРИВИЗНА СТОРОН - 直角度	EN ISO 10545-2	± 0,3% MAX (± 1,5 mm MAX)	CONFORME COMPLYING
	PLANARITÀ SURFACE FLATNESS - EBENFLÄCHIGKEIT PLANEITE DE SURFACE - PLANEIDAD КРИВИЗНА ЛИЦЕВОЙ ПОВЕРХНОСТИ - 平整度	EN ISO 10545-2	± 0,4% MAX (± 1,8 mm MAX)	CONFORME COMPLYING
	ASSORBIMENTO D'ACQUA WATER ABSORPTION - WASSERAUFNAHME ABSORPTION D'EAU - ABSORCIÓN DE AGUA ВОДОПОГЛОЩЕНИЕ - 吸水率	EN ISO 10545-3	≤ 0,5%	≤ 0,1%
	RESISTENZA ALLA FLESSIONE FLEXION RESISTANCE - BIEGEFESTIGKEIT RESISTANCE A LA FLEXION - RESISTENCIA A LA FLEXIÓN ПРЕДЕЛ ПРОЧНОСТИ ПРИ ИЗГИБЕ - 抗弯强度	EN ISO 10545-4	S ≥ 700 N (< 7,5 mm) S ≥ 1.300 N (> 7,5 mm) R ≥ 35 N/mm².	±9 mm: S≥2.400N R≥48N/mm² ±12 mm: S≥4.000N R≥48N/mm²
	RESISTENZA ALL'URTO IMPACT RESISTANCE - STOSSFESTIGKEIT RESISTANCE AUX CHOCES - RESISTENCIA A LOS GOLPES УДАРОСТОЙКОСТЬ - 抗冲击强度	EN ISO 10545-5	VALORE DICHIARATO DECLARED VALUE	> 0,80
	RESISTENZA ALL'ABRASIONE ABRASION RESISTANCE - ABRIEBFESTIGKEIT RESISTANCE A L'ABRASION - RESISTENCIA A LA ABRASIÓN СТОЙКОСТЬ К ИСТИРАНИЮ - 耐磨强度	EN ISO 10545-6	≤ 175 mm³	< 150 mm³
	COEFFICIENTE DI DILATAZIONE TERMICA LINEARE COEFFICIENT OF LINEAR THERMAL-EXPANSION - LINEARER WÄRMEAUSSDEHNUNGSKOEFFIZIENT COEFFICIENT DE DILATATION THERMIQUE LINEAIRE - COEFICIENTE DE DILATACIÓN TÉRMICA LINEAL КОЭФФИЦИЕНТ ЛИНЕЙНОГО ТЕРМИЧЕСКОГО РАСШИРЕНИЯ - 线性热膨胀系数	EN ISO 10545-8	—	α=6,6x10 ⁻⁶ °C ⁻¹
	RESISTENZA AGLI SBALZI TERMICI RESISTANCE TO THERMAL SHOCKS - BESTÄNDIGKEIT GEGEN TEMPERATURSCHWANKUNGEN RESISTANCE AUX CHOCES THERMIQUES - RESISTENCIA A LOS CHOQUES TÉRMICOS СТОЙКОСТЬ К ПЕРЕПАДАМ ТЕМПЕРАТУРЫ - 耐热突变性	EN ISO 10545-9	TEST SUPERATO SECONDO EN ISO 10545-1 PASS ACCORDING EN ISO 10545-1	NESSUN DANNO NO DAMAGE
	RESISTENZA AL GELO FROST RESISTANCE - FROSTBESTÄNDIGKEIT RESISTANCE AU GEL - RESISTENCIA AL HIELO МОРОЗОСТОЙКОСТЬ - 耐冻性	EN ISO 10545-12	TEST SUPERATO SECONDO EN ISO 10545-1 PASS ACCORDING EN ISO 10545-1	NESSUN DANNO NO DAMAGE
	RESISTENZA ALL'ATTACCO CHIMICO RESISTANCE TO CHEMICALS - CHEMIKALIENBESTÄNDIGKEIT RESISTANCE A L'ATTAQUE CHIMIQUE - RESISTENCIA QUÍMICA ХИМИЧЕСКАЯ СТОЙКОСТЬ - 耐化学品作用	EN ISO 10545-13	B MIN.	A LA HA
	RESISTENZA ALLE MACCHIE RESISTANCE TO STAINS - FLECKENBESTÄNDIGKEIT RESISTANCE AUX TACHES - RESISTENCIA A LAS MANCHAS УСТОЙЧИВОСТЬ К ПЯТНООБРАЗОВАНИЮ - 防污性	EN ISO 10545-14	VALORE DICHIARATO DECLARED VALUE	5
	CESSIONE DI PIOMBO E CADMIO LEAD AND CADMIUM DISCHARGE - ABGABE VON BLEI UND CADMIUM PERTE DE PLOMB ET CADMIUM - CESIÓN DE PLOMO Y CADMIO ВЫДЕЛЕНИЕ СВИНЦА И КАДМИЯ - 铅和镉的排放	EN ISO 10545-15	VALORE DICHIARATO DECLARED VALUE	< AL LIMITE DI RILEVAMENTO < THAN INSTRUMENT LIMIT
			NAT	BC
	DM. 236/89 BCRA	> 0,40	> 0,55	-
	ASTM C1028	Wet SCOF > 0,60	> 0,60	-
	ANSI A1371	Wet DCOF > 0,42	> 0,42	-
	AS 4586:2013	-	-	-
	DIN 51130	-	R9	R11
	DIN 51097	-	-	A+B+C
	ENV 12633	≥ CL1	CL1	-
	UNI EN 13036 - 4:2011	≥ 36	-	-
	SCIVOLOSITÀ SKID RESISTANCE - RUTSCHWERT GLISSANCE - ADHERENCIA СКОЛЬЗКОСТЬ - 防滑性			

Per i certificati specifici, contattare Mirage SpA - For specific certificates, please contact Mirage SPA - Für die speziellen Zertifikate wenden Sie sich bitte an Mirage SpA - Pour les certificats spécifiques, veuillez contacter Mirage SPA
Para los certificados específicos, contactar Mirage SPA - Для сертификатов обращайтесь в компанию Mirage SpA - 关于具体的证书, 请联系Mirage Spa公司



Made in Italy

www.mirage.it



Mirage.it

Mirageit

Mirage Granito Ceramico S.p.a.

41026 - Pavullo (MO) ITALY - Via Giardini Nord, 225
Tel. +39 0536 29611 - Fax +39 0536 21065
info@mirage.it - www.mirage.it

Mirage Project Point

20121 - Milano ITALY
Via Marsala, 7
Tel. +39 02 65560879

projectpoint-mi@mirage.it
www.mirageprojectpoint.com/milano

Mirage USA INC.

618 Grassmere Park Dr - Suite 1-2
Nashville - Tennessee (TN) - 37211
Ph. +1 615 834 3888
TAX ID: 75 2773306

info@mirageusa.net
www.mirageusa.net

Mirage Project Point Dubai

Building 7 - Ground Floor
d3 Dubai Design District - United
Arab Emirates
Ph. +971 4 554 3944
Licence No. 93659

projectpoint-uae@mirage.it
www.mirageprojectpoint.com/dubai